

# TABLE OF CONTENTS

|                                |           |
|--------------------------------|-----------|
| STICK ELECTRODES .....         | A (1-44)  |
| MIG & TIG .....                | B (1-37)  |
| METAL-CORED .....              | C (1-24)  |
| FLUX-CORED .....               | D (1-134) |
| SUBMERGED ARC .....            | E (1-50)  |
| STAINLESS .....                | F (1-138) |
| NICKEL .....                   | G (1-26)  |
| HARDFACING .....               | H (1-84)  |
| ALUMINUM & CAST IRON .....     | I (1-16)  |
| PIPELINER® .....               | J (1-26)  |
| (Lot Controlled)               |           |
| POWER GENERATION & NUCLEAR ... | K (1-42)  |
| PACKAGING .....                | L (1-16)  |
| APPENDIX .....                 | M (1-33)  |

|                            |     |
|----------------------------|-----|
| Welding Consumables .....  | 1-9 |
| Introduction .....         | 10  |
| Q Lot Certifications ..... | 11  |
| En Certifications .....    | 12  |
| Catalog User Guide .....   | 13  |
| Disclaimers .....          | 14  |

## STICK

### *Stick (SMAW) Electrode*

#### **Mild Steel, Cellulosic**

|                       |     |
|-----------------------|-----|
| Fleetweld® 5P .....   | A-1 |
| Fleetweld® 5P+ .....  | A-2 |
| Fleetweld® 35 .....   | A-3 |
| Fleetweld® 35LS ..... | A-4 |
| Fleetweld® 180 .....  | A-5 |
| Murex® 6010 .....     | A-6 |
| Murex® 6011C .....    | A-7 |

#### **Mild Steel, Rutile**

|                     |      |
|---------------------|------|
| Fleetweld® 22 ..... | A-8  |
| Fleetweld® 37 ..... | A-9  |
| Fleetweld® 47 ..... | A-10 |
| Murex® 6013D .....  | A-11 |
| Murex® 7014 .....   | A-12 |

#### **Mild Steel, High Deposition**

|                   |      |
|-------------------|------|
| Jetweld® 1 .....  | A-13 |
| Jetweld® 2 .....  | A-14 |
| Murex® 7024 ..... | A-15 |

#### **Mild Steel, Low Hydrogen**

|                              |      |
|------------------------------|------|
| Excalibur® 7018 MR® .....    | A-16 |
| Excalibur® 7018-1 MR® .....  | A-17 |
| Excalibur® 7028 .....        | A-18 |
| Jetweld® LH-70 .....         | A-19 |
| Jet-LH® 78 MR® .....         | A-20 |
| Lincoln® 7018 AC .....       | A-21 |
| Millennium Arc® 7018-1 ..... | A-22 |
| Murex® B7018 MR® .....       | A-23 |
| Murex® 7018 MR® .....        | A-24 |

#### **Low Alloy, Cellulosic, Pipe**

|                        |      |
|------------------------|------|
| Shield-Arc® HYP+ ..... | A-25 |
| Shield-Arc® 85 .....   | A-26 |
| Shield-Arc® 70+ .....  | A-27 |
| Shield-Arc® 90 .....   | A-28 |

#### **Low Alloy, Low Hydrogen**

|                              |      |
|------------------------------|------|
| Excalibur® 7018-A1 MR® ..... | A-29 |
| Excalibur® 8018-B2 MR® ..... | A-30 |

|                               |      |
|-------------------------------|------|
| Excalibur® 8018-C1 MR® .....  | A-31 |
| Excalibur® 8018-C3 MR® .....  | A-32 |
| Excalibur® 9018-B3 MR® .....  | A-33 |
| Excalibur® 9018M MR® .....    | A-34 |
| Excalibur® 10018-D2 MR® ..... | A-35 |
| Excalibur® 11018M MR® .....   | A-36 |
| Chromet® 1X .....             | A-37 |
| Chromet® 2X .....             | A-38 |
| Chromet® 5 .....              | A-39 |
| Chromet® 9 .....              | A-40 |
| Chromet® 9-B9 .....           | A-41 |
| Chromet® 9Mv-N .....          | A-42 |
| E9018-D1 .....                | A-43 |
| Tufmet™ 3Ni.B .....           | A-44 |

## MIG & TIG

### *MIG (GMAW) Wire*

#### **Mild Steel, Non-Copper Coated**

|                      |     |
|----------------------|-----|
| SuperGlide® S3 ..... | B-1 |
| SuperGlide® S6 ..... | B-3 |

#### **Mild Steel, Copper Coated**

|                       |      |
|-----------------------|------|
| SuperArc® L-50® ..... | B-5  |
| SuperArc® L-56® ..... | B-7  |
| SuperArc® L-59® ..... | B-9  |
| Murematic® S3 .....   | B-11 |
| Murematic® S4+ .....  | B-12 |
| Murematic® S6 .....   | B-13 |

#### **Low Alloy Steel**

|                       |      |
|-----------------------|------|
| 2CrMo .....           | B-14 |
| ER90S-B3 .....        | B-15 |
| Techalloy® 4130 ..... | B-16 |

#### **Low Alloy, Copper Coated**

|                         |      |
|-------------------------|------|
| SuperArc® LA-75™ .....  | B-18 |
| SuperArc® LA-90™ .....  | B-20 |
| SuperArc® LA-100™ ..... | B-22 |
| SuperArc® AK-10® .....  | B-24 |

#### **Copper Alloys**

|                        |      |
|------------------------|------|
| SuperGlaze™ SiBR ..... | B-17 |
|------------------------|------|

### *TIG (GTAW) Cut Length*

#### **Low Alloy Steel**

|                       |      |
|-----------------------|------|
| 2Ni .....             | B-26 |
| 5CrMo .....           | B-27 |
| 9CrMoV-N .....        | B-28 |
| Lincoln® AK-10® ..... | B-29 |

## TABLE OF CONTENTS

|                         |      |
|-------------------------|------|
| Lincoln® ER80S-B2.....  | B-30 |
| Lincoln® ER80S-D2.....  | B-31 |
| Lincoln® ER80S-Ni1..... | B-32 |
| Lincoln® ER90S-B3.....  | B-33 |
| Lincoln® LA-84.....     | B-34 |
| Techalloy® 4130.....    | B-35 |

### Mild Steel, Copper Coated

|                       |      |
|-----------------------|------|
| Lincoln® ER70S-2..... | B-36 |
| Lincoln® ER70S-6..... | B-37 |

## METAL-CORED

### GMAW-C Wire

#### Mild Steel

|                                    |     |
|------------------------------------|-----|
| Metalshield® Clarity™ MC®-707..... | C-1 |
| Metalshield® MC®-6®.....           | C-3 |
| Metalshield® MC®-706.....          | C-5 |
| Metalshield® MC®-710XL®.....       | C-7 |
| Metalshield® Z®.....               | C-9 |

#### Low Alloy

|                                         |      |
|-----------------------------------------|------|
| Metalshield® MC®-80Ni1.....             | C-11 |
| Metalshield® MC®-90.....                | C-13 |
| Metalshield® MC®-110.....               | C-15 |
| Metalshield® MC®-120.....               | C-17 |
| Metalshield® MC®-6 Buy America.....     | C-19 |
| Metalshield® MC®-706 Buy America.....   | C-21 |
| Metalshield® MC®-80Ni1 Buy America..... | C-23 |

## FLUX-CORED

### Self-Shielded (FCAW-S) Wire

#### Mild Steel, Flat and Horizontal

|                           |     |
|---------------------------|-----|
| Innershield® NR®-5.....   | D-1 |
| Innershield® NR®-131..... | D-2 |
| Innershield® NR®-305..... | D-3 |
| Innershield® NR®-311..... | D-4 |
| Innershield® NS-3M.....   | D-5 |

#### Low Alloy, Flat and Horizontal

|                              |     |
|------------------------------|-----|
| Innershield® NR®-311 Ni..... | D-6 |
|------------------------------|-----|

#### Mild Steel, All Position

|                              |      |
|------------------------------|------|
| Innershield® NR®-152.....    | D-7  |
| Innershield® NR®-203-MP..... | D-8  |
| Innershield® NR®-211-MP..... | D-9  |
| Innershield® NR®-232.....    | D-11 |
| Innershield® NR®-232-H.....  | D-13 |
| Innershield® NR®-233.....    | D-15 |

#### Low Alloy, All Position

|                                       |      |
|---------------------------------------|------|
| Innershield® NR®-203 Nickel (1%)..... | D-17 |
| Innershield® NR®-203 Ni C Plus-H..... | D-18 |
| Innershield® NR®-207.....             | D-19 |
| Innershield® NR®-208-H.....           | D-20 |
| Innershield® NR®-212.....             | D-21 |
| Innershield® NR®-440Ni2.....          | D-23 |
| Innershield® NR®-555.....             | D-25 |

### Gas-Shielded (FCAW-G) Wire

#### Mild Steel, All Position

|                                 |      |
|---------------------------------|------|
| UltraCore® 360™ C71.....        | D-27 |
| UltraCore® 360™ M71.....        | D-29 |
| UltraCore® 71A75 Dual.....      | D-31 |
| UltraCore® 71A85.....           | D-33 |
| UltraCore® 71C.....             | D-35 |
| UltraCore® 712C.....            | D-37 |
| UltraCore® 712C-H Plus.....     | D-39 |
| UltraCore® 712A80.....          | D-41 |
| UltraCore® 712A80-H.....        | D-43 |
| UltraCore® 712A80-H Plus.....   | D-45 |
| UltraCore® Clarity™ C71 LE..... | D-47 |
| UltraCore® Clarity™ M71 LE..... | D-49 |
| UltraCore® HD-C.....            | D-51 |
| UltraCore® HD-M.....            | D-53 |
| UltraCore® HD-12C.....          | D-55 |
| UltraCore® HD-12M.....          | D-57 |
| UltraCore® HD Marine.....       | D-59 |
| UltraCore® SR-12.....           | D-61 |
| UltraCore® SR-12C.....          | D-63 |
| UltraCore® SR-12M.....          | D-65 |
| UltraCore® TC 30.....           | D-67 |
| Outershield® 71M.....           | D-69 |
| Outershield® 71 Elite.....      | D-71 |
| Murex® 71.....                  | D-73 |

#### Mild Steel, Flat and Horizontal

|                          |      |
|--------------------------|------|
| UltraCore® 70C.....      | D-75 |
| UltraCore® 70M.....      | D-77 |
| UltraCore® 75C.....      | D-79 |
| UltraCore® XP70.....     | D-81 |
| Outershield® 70.....     | D-83 |
| Outershield® XLH-70..... | D-85 |

#### Low Alloy, All Position

|                            |      |
|----------------------------|------|
| UltraCore® 360™ C81.....   | D-87 |
| UltraCore® 360™ M81.....   | D-89 |
| UltraCore® 81Ni1A75-H..... | D-91 |

|                                |       |
|--------------------------------|-------|
| UltraCore® 81Ni1C-H .....      | D-93  |
| UltraCore® 81Ni1C-H Plus ..... | D-95  |
| UltraCore® 81Ni1M-H Plus ..... | D-97  |
| UltraCore® 81Ni2A75-H .....    | D-99  |
| UltraCore® 81Ni2C-H .....      | D-101 |
| UltraCore® 81K2A75-H .....     | D-103 |
| UltraCore® 81K2C-H .....       | D-105 |
| UltraCore® 81K2C-H Plus .....  | D-107 |
| UltraCore® 81K2M-H Plus .....  | D-109 |
| UltraCore® 91K2C-H Plus .....  | D-111 |
| UltraCore® 91K2M-H Plus .....  | D-113 |
| UltraCore® 101K3C-H Plus ..... | D-115 |
| UltraCore® 101K3M-H Plus ..... | D-117 |
| UltraCore® 111K3C-H Plus ..... | D-119 |
| UltraCore® 111K3M-H Plus ..... | D-121 |
| UltraCore® 121K3C-H Plus ..... | D-123 |
| UltraCore® 121K3M-H Plus ..... | D-125 |
| Cormet® 1 .....                | D-127 |
| Cormet® 2 .....                | D-128 |
| Cormet® 5 .....                | D-129 |
| Supercore® F91 .....           | D-130 |

**Low Alloy, Flat and Horizontal**

|                         |       |
|-------------------------|-------|
| UltraCore® 80Ni1C ..... | D-131 |
| UltraCore® 80Ni1M ..... | D-133 |

## SUBMERGED ARC

*Flux***700 Series Active Flux**

|                         |     |
|-------------------------|-----|
| Lincolnweld® 760® ..... | E-1 |
| Lincolnweld® 761® ..... | E-2 |
| Lincolnweld® 780® ..... | E-3 |
| Lincolnweld® 781™ ..... | E-4 |

**800 Series Neutral Flux**

|                              |      |
|------------------------------|------|
| Lincolnweld® 822™ .....      | E-5  |
| Lincolnweld® 842-H™ .....    | E-6  |
| Lincolnweld® 860® .....      | E-7  |
| Lincolnweld® 865™ .....      | E-8  |
| Lincolnweld® 880™ .....      | E-9  |
| Lincolnweld® 880M® .....     | E-10 |
| Lincolnweld® 882™ .....      | E-11 |
| Lincolnweld® 888™ .....      | E-12 |
| Lincolnweld® 8500™ .....     | E-13 |
| Lincolnweld® MIL800-H™ ..... | E-14 |
| Lincolnweld® 812-SRC™ .....  | E-15 |

*Special Neutral Flux*

|                            |      |
|----------------------------|------|
| Lincolnweld® 960® .....    | E-16 |
| Lincolnweld® 980™ .....    | E-17 |
| Lincolnweld® WTX™ .....    | E-18 |
| Lincolnweld® WTX™-TR ..... | E-19 |
| LA490 .....                | E-20 |

**Flux for Seam Welding of Pipe**

|                              |      |
|------------------------------|------|
| Lincolnweld® 761-Pipe™ ..... | E-21 |
| Lincolnweld® P223™ .....     | E-22 |
| Lincolnweld® SPX80™ .....    | E-23 |
| Lincolnweld® 995N™ .....     | E-24 |

**High Performance/Alloy Flux**

|                                 |      |
|---------------------------------|------|
| Lincolnweld® A-XXX10™ .....     | E-25 |
| Lincolnweld® MIL800-HPNi™ ..... | E-26 |

*Solid Wire***Mild Steel Solid Electrode**

|                          |      |
|--------------------------|------|
| Lincolnweld® L-50® ..... | E-27 |
| Lincolnweld® L-56® ..... | E-28 |
| Lincolnweld® L-60 .....  | E-29 |
| Lincolnweld® L-61® ..... | E-28 |
| Lincolnweld® L-53 .....  | E-29 |
| Lincolnweld® LA-71 ..... | E-31 |

**Low Alloy Solid Electrode**

|                           |      |
|---------------------------|------|
| Lincolnweld® AK-10™ ..... | E-32 |
| Lincolnweld® L-70 .....   | E-33 |
| Lincolnweld® LA-75 .....  | E-33 |
| Lincolnweld® LA-81 .....  | E-34 |
| Lincolnweld® LA-82 .....  | E-34 |
| Lincolnweld® LA-84 .....  | E-35 |
| Lincolnweld® LA-85 .....  | E-36 |
| Lincolnweld® LA-90 .....  | E-37 |
| Lincolnweld® LA-92 .....  | E-38 |
| Lincolnweld® LA-93 .....  | E-39 |
| Lincolnweld® LA-100 ..... | E-40 |
| Techalloy® 4130 .....     | E-41 |

*Cored Wire***Mild Steel**

|                          |      |
|--------------------------|------|
| Lincolnweld® LC-72 ..... | E-42 |
|--------------------------|------|

**Low Alloy**

|                            |      |
|----------------------------|------|
| Lincolnweld® LAC-B2 .....  | E-43 |
| Lincolnweld® LAC-Ni2 ..... | E-43 |
| Lincolnweld® LAC-690 ..... | E-44 |
| 9CrMoV-N .....             | E-45 |

**Non-Copper Coated Submerged Arc (SAW) Electrode****Mild Steel Solid Electrode**

|                                  |      |
|----------------------------------|------|
| Lincolnweld® Emergence™ 61 ..... | E-46 |
| Lincolnweld® Emergence™ 73 ..... | E-47 |

**Low Alloy Solid Electrode**

|                                  |      |
|----------------------------------|------|
| Lincolnweld® Emergence™ 70 ..... | E-48 |
| Lincolnweld® Emergence™ 81 ..... | E-49 |
| Lincolnweld® Emergence™ 90 ..... | E-50 |

**STAINLESS****Stick Electrode**

|                              |      |
|------------------------------|------|
| Excalibur® 308/308L-15 ..... | F-1  |
| Excalibur® 308L-16 .....     | F-2  |
| Excalibur® 308/308H-16 ..... | F-3  |
| Excalibur® 308/308L-17 ..... | F-4  |
| Excalibur® 309/309L-15 ..... | F-5  |
| Excalibur® 309/309L-16 ..... | F-6  |
| Excalibur® 309/309L-17 ..... | F-7  |
| Excalibur® 310-16 .....      | F-8  |
| Excalibur® 312-16 .....      | F-9  |
| Excalibur® 316/316L-15 ..... | F-10 |
| Excalibur® 316/316L-16 ..... | F-11 |
| Excalibur® 316/316L-17 ..... | F-12 |
| Excalibur® 320LR-16 .....    | F-13 |
| Excalibur® 330-16 .....      | F-14 |
| Excalibur® 347-16 .....      | F-15 |
| Excalibur® 385-16 .....      | F-16 |
| Excalibur® 410-16 .....      | F-17 |
| Excalibur® 410NiMo-16 .....  | F-18 |
| Excalibur® 630-16 .....      | F-19 |
| Excalibur® 2209-16 .....     | F-20 |
| Excalibur® 2594-16 .....     | F-21 |
| E16.8.2-15 .....             | F-22 |
| Supermet™ 16.8.2 .....       | F-23 |
| Thermet™ 22H .....           | F-24 |
| Thermet™ 25.35Nb .....       | F-25 |
| Thermet™ 35.45.Nb .....      | F-26 |
| Thermet™ 800Nb .....         | F-27 |
| Thermet™ HP40Nb .....        | F-28 |
| Thermet™ HP50WCO .....       | F-29 |
| Ultramet® 308LCF .....       | F-30 |
| Ultramet® 316LCF .....       | F-31 |
| UltraMet B™ 316 NF .....     | F-32 |

**MIG Wire**

|                             |      |
|-----------------------------|------|
| Blue Max® MIG 307 MOD ..... | F-33 |
| Blue Max® MIG 308H .....    | F-34 |

|                                |      |
|--------------------------------|------|
| Blue Max® MIG 308LSi .....     | F-35 |
| Blue Max® MIG 308L .....       | F-37 |
| Blue Max® MIG 308LCF .....     | F-38 |
| Blue Max® MIG 309LSi .....     | F-39 |
| Blue Max® MIG 309L .....       | F-41 |
| Blue Max® MIG 309LMO_MOD ..... | F-42 |
| Blue Max® MIG 310 .....        | F-43 |
| Blue Max® MIG 312 .....        | F-44 |
| Blue Max® MIG 316L .....       | F-45 |
| Blue Max® MIG 316LCF .....     | F-46 |
| Blue Max® MIG 316LSi .....     | F-47 |
| Blue Max® MIG 317L .....       | F-49 |
| Blue Max® MIG 320LR .....      | F-50 |
| Blue Max® MIG 330 .....        | F-51 |
| Blue Max® MIG 347 .....        | F-52 |
| Blue Max® MIG 385 .....        | F-53 |
| Blue Max® MIG 409Nb .....      | F-54 |
| Blue Max® MIG 410 .....        | F-55 |
| Blue Max® MIG 410NiMo .....    | F-56 |
| Blue Max® MIG 420 .....        | F-57 |
| Blue Max® MIG 630 .....        | F-58 |
| Blue Max® MIG 2209 .....       | F-59 |
| Blue Max® MIG 2594 .....       | F-60 |
| Lincoln® Red Max™ 308LSi ..... | F-61 |
| Lincoln® Red Max™ 309LSi ..... | F-63 |
| Lincoln® Red Max™ 316LSi ..... | F-65 |
| Murex® 308LSi .....            | F-67 |
| Murex® 309LSi .....            | F-68 |
| Murex® 316LSi .....            | F-69 |

**Flux-Cored (FCAW-G) Wire**

|                           |      |
|---------------------------|------|
| UltraCore® FC 308L .....  | F-70 |
| UltraCore® FCP 308L ..... | F-71 |
| UltraCore® FC 309L .....  | F-73 |
| UltraCore® FCP 309L ..... | F-75 |
| UltraCore® FC 316L .....  | F-77 |
| UltraCore® FCP 316L ..... | F-79 |
| Supercore™ 308LCF .....   | F-81 |
| Supercore™ 316LCF .....   | F-82 |
| Supercore™ 347 .....      | F-83 |
| Supercore™ 2205P .....    | F-84 |
| Supercore™ 2507 .....     | F-85 |
| Supercore™ 2507P .....    | F-86 |
| Supercore™ 308HP .....    | F-87 |
| Supercore™ 317LP .....    | F-88 |
| Supercore™ 410NiMo .....  | F-89 |
| Supercore™ 16.8.2P .....  | F-90 |
| Supercore™ Z100XP .....   | F-91 |

**Submerged Arc Wire**

|                                |       |
|--------------------------------|-------|
| Lincolnweld® 308/308L .....    | F-92  |
| Lincolnweld® 308/308H .....    | F-93  |
| Lincolnweld® 308/308LCF .....  | F-94  |
| Lincolnweld® 309 LMo_MOD ..... | F-95  |
| Lincolnweld® 310 .....         | F-96  |
| Lincolnweld® 309/309L .....    | F-97  |
| Lincolnweld® 316/316L .....    | F-99  |
| Lincolnweld® 316/316LCF .....  | F-101 |
| Lincolnweld® 317/317L .....    | F-102 |
| Lincolnweld® 320LR .....       | F-103 |
| Lincolnweld® 347 .....         | F-104 |
| Lincolnweld® 385 .....         | F-105 |
| Lincolnweld® 410NiMo .....     | F-106 |
| Lincolnweld® 630 .....         | F-107 |
| Lincolnweld® 2209 .....        | F-108 |
| Lincolnweld® 2594 .....        | F-109 |
| ER16.8.2 .....                 | F-110 |

**Submerged Arc Flux**

|                            |       |
|----------------------------|-------|
| Lincolnweld® P2000™ .....  | F-111 |
| Lincolnweld® P2007™ .....  | F-112 |
| Lincolnweld® ST-100™ ..... | F-113 |

**TIG Cut Length**

|                             |       |
|-----------------------------|-------|
| Lincoln® ER308/308H .....   | F-114 |
| Lincoln® ER308/308L .....   | F-115 |
| Lincoln® ER308/308LCF ..... | F-116 |
| Lincoln® ER309/309L .....   | F-117 |
| Lincoln® ER310 .....        | F-118 |
| Lincoln® ER312 .....        | F-119 |
| Lincoln® ER316/316L .....   | F-120 |
| Lincoln® ER316/316LCF ..... | F-121 |
| Lincoln® ER317/317L .....   | F-122 |
| Lincoln® ER320LR .....      | F-123 |
| Lincoln® ER347 .....        | F-124 |
| Lincoln® ER385 .....        | F-125 |
| Lincoln® ER409Nb .....      | F-126 |
| Lincoln® ER410 .....        | F-127 |
| Lincoln® ER410NiMo .....    | F-128 |
| Lincoln® ER630 .....        | F-129 |
| Lincoln® ER2209 .....       | F-130 |
| Lincoln® ER2594 .....       | F-131 |
| ER16.8.2 .....              | F-132 |

**Metal-Cored Wire**

|                          |       |
|--------------------------|-------|
| PRIMALLOY™ T-409Ti ..... | F-133 |
| PRIMALLOY™ T-439Ti ..... | F-134 |

**Orbital TIG (GTAW) Wire**

|                                      |       |
|--------------------------------------|-------|
| Blue Max® Orbital TIG 308/308L ..... | F-135 |
| Blue Max® Orbital TIG 309/309L ..... | F-136 |
| Blue Max® Orbital TIG 316/316L ..... | F-137 |

**NICKEL****Stick (SMAW) Electrode**

|                        |      |
|------------------------|------|
| Tech-Rod® 55 .....     | G-1  |
| Tech-Rod® 99 .....     | G-2  |
| Tech-Rod® 112 .....    | G-3  |
| Tech-Rod® 112LFe ..... | G-4  |
| Tech-Rod® 117 .....    | G-5  |
| Tech-Rod® 122 .....    | G-6  |
| Tech-Rod® 141 .....    | G-7  |
| Tech-Rod® 182 .....    | G-8  |
| Tech-Rod® 187 .....    | G-9  |
| Tech-Rod® 190 .....    | G-10 |
| Tech-Rod® 276 .....    | G-11 |
| Tech-Rod® Weld A ..... | G-12 |

**MIG/TIG/SAW Wire**

|                      |      |
|----------------------|------|
| Techalloy® 55 .....  | G-13 |
| Techalloy® 99 .....  | G-14 |
| Techalloy® 208 ..... | G-15 |
| Techalloy® 276 ..... | G-16 |
| Techalloy® 413 ..... | G-17 |
| Techalloy® 418 ..... | G-18 |
| Techalloy® 606 ..... | G-19 |
| Techalloy® 617 ..... | G-20 |
| Techalloy® 622 ..... | G-21 |
| Techalloy® 625 ..... | G-22 |
| Techalloy® 718 ..... | G-23 |
| Techalloy® 825 ..... | G-24 |
| Techalloy® X .....   | G-25 |

**Flux-Cored (FCAW-G) Wire**

|                       |      |
|-----------------------|------|
| SuperCore® 625P ..... | G-26 |
|-----------------------|------|

**HARDFACING****Stick (SMAW) Electrode****Cobalt**

|                            |     |
|----------------------------|-----|
| Weartech® WT-1 SMAW .....  | H-1 |
| Weartech® WT-6 SMAW .....  | H-2 |
| Weartech® WT-12 SMAW ..... | H-3 |
| Weartech® WT-21 SMAW ..... | H-4 |

## TABLE OF CONTENTS

### Build-Up

|                      |     |
|----------------------|-----|
| Wearshield® BU ..... | H-5 |
|----------------------|-----|

### Metal-to-Metal Wear

|                            |     |
|----------------------------|-----|
| Wearshield® MI .....       | H-6 |
| Wearshield® Mangjet® ..... | H-7 |

### Severe Impact

|                               |      |
|-------------------------------|------|
| Wearshield® 15CrMn .....      | H-8  |
| Wearshield® FROG MANG® .....  | H-9  |
| Wearshield® Super Rail™ ..... | H-10 |

### Abrasion and Impact

|                       |      |
|-----------------------|------|
| Wearshield® ABR ..... | H-11 |
| Wearshield® 44 .....  | H-12 |

### Metal-to-Earth Wear

|                      |      |
|----------------------|------|
| Wearshield® ME ..... | H-13 |
|----------------------|------|

### Severe Abrasion

|                            |      |
|----------------------------|------|
| Wearshield® 60 .....       | H-14 |
| Weartech® SHS® 9700E ..... | H-15 |

### Maintenance and Repair

|                      |      |
|----------------------|------|
| Blue Max® 2100 ..... | H-16 |
|----------------------|------|

## *TIG (GTAW) Cut Lengths*

### Cobalt

|                           |      |
|---------------------------|------|
| Weartech® WT-1 TIG .....  | H-17 |
| Weartech® WT-6 TIG .....  | H-18 |
| Weartech® WT-12 TIG ..... | H-19 |
| Weartech® WT-21 TIG ..... | H-20 |

### Nickel

|                           |      |
|---------------------------|------|
| Weartech® WT-40 TIG ..... | H-21 |
| Weartech® WT-50 TIG ..... | H-22 |
| Weartech® WT-56 TIG ..... | H-23 |
| Weartech® WT-60 TIG ..... | H-24 |

## *Metal-Cored (GMAW-C) Wire*

### Severe Abrasion

|                     |      |
|---------------------|------|
| Lincore® 60-G ..... | H-25 |
|---------------------|------|

### Cobalt

|                              |      |
|------------------------------|------|
| Weartech® WT-1 GMAW-C .....  | H-26 |
| Weartech® WT-6 GMAW-C .....  | H-27 |
| Weartech® WT-12 GMAW-C ..... | H-28 |
| Weartech® WT21 GMAW-C .....  | H-29 |

## *Metal-Cored Submerged Arc Wire*

### Build-Up

|                     |      |
|---------------------|------|
| Lincore® 30-S ..... | H-30 |
|---------------------|------|

### Metal-to-Metal, Build Up

|                     |      |
|---------------------|------|
| Lincore® 32-S ..... | H-31 |
| Lincore® 35-S ..... | H-32 |

### Metal-to-Metal

|                     |      |
|---------------------|------|
| Lincore® 40-S ..... | H-33 |
| Lincore® 42-S ..... | H-34 |

### Roll Rebuilding, Build Up

|                     |      |
|---------------------|------|
| Lincore® 20 .....   | H-35 |
| Lincore® 4130 ..... | H-36 |
| Lincore® 8620 ..... | H-37 |

### Roll Rebuilding, Metal-to-Metal

|                        |      |
|------------------------|------|
| Lincore® 410 .....     | H-38 |
| Lincore® 410NiMo ..... | H-39 |
| Lincore® 423L .....    | H-40 |
| Lincore® 423Cr .....   | H-41 |
| Lincore® 420 .....     | H-42 |
| Lincore® 414N .....    | H-43 |
| Lincore® 423N .....    | H-43 |
| Lincore® 96S .....     | H-44 |
| Lincore® 102W .....    | H-45 |
| Lincore® 102HC .....   | H-46 |

## *Flux-Cored (FCAW-G) Wire*

### Build-Up

|                     |      |
|---------------------|------|
| Lincore® BU-G ..... | H-47 |
|---------------------|------|

### Metal-to-Metal

|                     |      |
|---------------------|------|
| Lincore® 55-G ..... | H-48 |
|---------------------|------|

## *Flux-Cored (FCAW-S) Wire*

### Build-Up

|                   |      |
|-------------------|------|
| Lincore® BU ..... | H-49 |
| Lincore® 33 ..... | H-50 |

### Metal-to-Metal

|                      |      |
|----------------------|------|
| Lincore® 40-O .....  | H-51 |
| Lincore® 55 .....    | H-52 |
| Lincore® T & D ..... | H-53 |

### Severe Impact

|                            |      |
|----------------------------|------|
| Lincore® M .....           | H-54 |
| Lincore® 15CrMn .....      | H-55 |
| Lincore® FROG MANG® .....  | H-56 |
| Lincore® Super Rail™ ..... | H-57 |

### Abrasion Plus Impact

|                   |      |
|-------------------|------|
| Lincore® 50 ..... | H-58 |
|-------------------|------|

**Severe Abrasion**

|                            |      |
|----------------------------|------|
| Lincore® 60-O .....        | H-59 |
| Lincore® Ultra K .....     | H-60 |
| Lincore® 65-O .....        | H-61 |
| Lincore® BCR-O .....       | H-62 |
| Lincore® BNB-O .....       | H-63 |
| Lincore® Gatorback-O ..... | H-64 |
| Lincore® Gatorback-S ..... | H-65 |
| Lincore® Ultra R .....     | H-66 |
| Lincore® TiCore .....      | H-67 |
| Weartech® SHS® 9800U ..... | H-68 |
| Weartech® SHS® 9700U ..... | H-69 |
| Weartech® SHS® 9192U ..... | H-70 |
| Weartech® SHS® 9500U ..... | H-71 |

**Submerged Arc (SAW) Flux****Hardfacing**

|                           |      |
|---------------------------|------|
| Lincolnweld® A-96-S ..... | H-72 |
| Lincolnweld® H-535™ ..... | H-72 |
| Lincolnweld® H-560™ ..... | H-73 |

**Neutral Flux**

|                         |      |
|-------------------------|------|
| Lincolnweld® 801® ..... | H-74 |
| Lincolnweld® 802® ..... | H-74 |

**Hardbanding Cored Wire****Severe Abrasion**

|                              |      |
|------------------------------|------|
| Weartech® Guardian® HB ..... | H-75 |
| Weartech® Guardian® CF ..... | H-76 |

**Wire Arc Spray****Severe Abrasion**

|                            |      |
|----------------------------|------|
| Weartech® SHS® 7570W ..... | H-77 |
| Weartech® SHS® 8000W ..... | H-78 |
| Weartech® SHS® 9172W ..... | H-79 |

**Thermal Spray Powder****Severe Abrasion**

|                             |      |
|-----------------------------|------|
| Weartech® SHS® 7574HV ..... | H-80 |
| Weartech® SHS® 8000HV ..... | H-81 |
| Weartech® SHS® 9172HV ..... | H-82 |

**Plasma Transferred Arc Weld Powder (PTAW)****Severe Abrasion**

|                            |      |
|----------------------------|------|
| Weartech® SHS® 9290P ..... | H-83 |
| Weartech® SHS® 9700P ..... | H-84 |

**ALUMINUM & CAST IRON****Aluminum****MIG Wire**

|                               |      |
|-------------------------------|------|
| SuperGlaze® 4043 .....        | I-1  |
| SuperGlaze® 4047 .....        | I-2  |
| SuperGlaze® 5183 .....        | I-3  |
| SuperGlaze® HD 5183 .....     | I-4  |
| SuperGlaze® 5356 .....        | I-5  |
| SuperGlaze® HD 5356 .....     | I-6  |
| SuperGlaze® 5356 TM™ .....    | I-7  |
| SuperGlaze® HD 5356 TM™ ..... | I-8  |
| SuperGlaze® 5554 .....        | I-9  |
| SuperGlaze® 5556 .....        | I-10 |
| SuperGlaze® HD 5556 .....     | I-11 |

**TIG Cut Length**

|                        |      |
|------------------------|------|
| SuperGlaze® 4043 ..... | I-12 |
| SuperGlaze® 5356 ..... | I-13 |

**Cast Iron****Stick Electrode**

|                  |      |
|------------------|------|
| Ferroweld® ..... | I-13 |
|------------------|------|

**Additional Information**

|                                    |      |
|------------------------------------|------|
| Typical Joint Designs .....        | I-14 |
| Typical Operating Procedures ..... | I-15 |

**PIPELINER®****Stick (SMAW) Electrode****Mild Steel, Cellulosic**

|                       |     |
|-----------------------|-----|
| Pipeliners® 6P+ ..... | J-1 |
|-----------------------|-----|

**Mild Steel, Low Hydrogen**

|                       |     |
|-----------------------|-----|
| Pipeliners® 16P ..... | J-2 |
|-----------------------|-----|

**Low Alloy, Cellulosic**

|                          |     |
|--------------------------|-----|
| Pipeliners® 7P+ .....    | J-3 |
| Pipeliners® 8P+ .....    | J-4 |
| Pipeliners® Arc 80 ..... | J-5 |

**Low Alloy, Low Hydrogen**

|                           |      |
|---------------------------|------|
| Pipeliners® 18P .....     | J-6  |
| Pipeliners® LH-D80 .....  | J-7  |
| Pipeliners® LH-D90 .....  | J-8  |
| Pipeliners® LH-D100 ..... | J-9  |
| Pipeliners® 19P .....     | J-10 |

**MIG (GMAW) Wire****Mild and Low Alloy Steel Pipe**

|                        |      |
|------------------------|------|
| Pipeliner® 70S-6 ..... | J-11 |
| Pipeliner® 70S-G ..... | J-12 |
| Pipeliner® 80S-G ..... | J-13 |
| Pipeliner® 80Ni1 ..... | J-14 |

**Flux-Cored Self-Shielded (FCAW-S) Wire****Low Alloy, All Position**

|                             |      |
|-----------------------------|------|
| Pipeliner® NR®-207+ .....   | J-15 |
| Pipeliner® NR®-208-XP ..... | J-16 |

**Flux-Cored Gas-Shielded (FCAW-G) Wire****Low Alloy, All Position**

|                       |      |
|-----------------------|------|
| Pipeliner® 81M .....  | J-17 |
| Pipeliner® 101M ..... | J-18 |
| Pipeliner® 111M ..... | J-19 |
| Pipeliner® G90M ..... | J-20 |

**Additional Information**

|                                        |      |
|----------------------------------------|------|
| Pipe Grades .....                      | J-21 |
| Electrode Selection Guide .....        | J-22 |
| LH-D80/90/100 Welding Guidelines ..... | J-23 |
| EN and ISO Classifications .....       | J-24 |
| Agency Approvals .....                 | J-26 |

**POWER GENERATION  
& NUCLEAR****(LOT CONTROLLED)****Additional Information**

|                                                 |     |
|-------------------------------------------------|-----|
| Q2 Lot Certificates Center Overview .....       | K-1 |
| Nuclear Products / Batch Managed Overview ..... | K-2 |

**Stick (SMAW) Electrode****Mild Steel**

|                              |     |
|------------------------------|-----|
| Excalibur® 7018 MR® N* ..... | K-3 |
|------------------------------|-----|

**Low Alloy Steel**

|                               |     |
|-------------------------------|-----|
| Excalibur® 8018-B2 MR® .....  | K-5 |
| Excalibur® 9018-G MR® N ..... | K-7 |

**MIG (GMAW) Wire****Mild Steel**

|                          |     |
|--------------------------|-----|
| SuperArc® L-56® N* ..... | K-9 |
|--------------------------|-----|

**Low Alloy Steel**

|                        |      |
|------------------------|------|
| SuperArc® AK-10 .....  | K-11 |
| SuperArc® LA-75® ..... | K-13 |

**Stainless Steel**

|                             |      |
|-----------------------------|------|
| Blue Max® MIG 308L N* ..... | K-15 |
| Blue Max® MIG 309L N* ..... | K-17 |
| Blue Max® MIG 316L N* ..... | K-19 |
| Blue Max® LNM 4462 N* ..... | K-21 |

**TIG (GTAW) Cut Lengths****Low Alloy Steel**

|                         |      |
|-------------------------|------|
| Lincoln® ER100S-1 ..... | K-22 |
|-------------------------|------|

**Stainless Steel**

|                              |      |
|------------------------------|------|
| Lincoln® ER308/308L N* ..... | K-23 |
| Lincoln® ER309/309L N* ..... | K-24 |
| Blue Max® LNT 4462 N* .....  | K-25 |

**TIG (GTAW) Cut Lengths - Orbital****Mild Steel**

|                                         |      |
|-----------------------------------------|------|
| SuperArc® Orbital TIG L-52 N* .....     | K-26 |
| SuperArc® Orbital TIG L-56® N* .....    | K-27 |
| Blue Max® Orbital TIG 308/308L N* ..... | K-28 |
| Blue Max® Orbital TIG 309/309L N* ..... | K-29 |
| Blue Max® Orbital TIG 316/316L N* ..... | K-30 |

**Low Alloy Steel**

|                                      |      |
|--------------------------------------|------|
| SuperArc® Orbital TIG AK-10 .....    | K-31 |
| SuperArc® Orbital TIG ER80S-B2 ..... | K-32 |
| SuperArc® Orbital TIG ER90S-B3 ..... | K-33 |

**Submerged Arc (SAW)****Flux & Wire Combinations****Low Alloy Steel**

|                                                       |      |
|-------------------------------------------------------|------|
| Lincolnweld® MIL800-H &<br>Lincolnweld® LA-84 .....   | K-34 |
| Lincolnweld® MIL-800-H &<br>Lincolnweld® LA-100 ..... | K-35 |

**Stainless Steel**

|                                                      |      |
|------------------------------------------------------|------|
| Lincolnweld® P2007™ &<br>Lincolnweld® 308/308L ..... | K-36 |
| Lincolnweld® P2007™ &<br>Lincolnweld® 309/309L ..... | K-37 |
| Lincolnweld® P2007™ &<br>Lincolnweld® 316/316L ..... | K-38 |

**Flux-Cored (FCAW-G) Wire****Mild Steel**

|                         |      |
|-------------------------|------|
| UltraCore® 71A85* ..... | K-39 |
| UltraCore® SR-12H ..... | K-41 |

\*These products are available as Batched Managed Inventory

## PACKAGING

### Options

|                            |     |
|----------------------------|-----|
| Tubes, Cans & Cartons..... | L-1 |
| Reels & Stem .....         | L-3 |
| Spools .....               | L-5 |
| Coils, Boxes & Bags .....  | L-7 |
| Drums & Pails.....         | L-9 |

### Storage and Handling

|                                     |      |
|-------------------------------------|------|
| Stick Electrode.....                | L-11 |
| Stainless Steel .....               | L-12 |
| Metal-Cored & Flux-Cored Wire ..... | L-13 |
| Submerged Arc Flux & Wire.....      | L-14 |
| Accu-Pak® Box.....                  | L-15 |

## APPENDIX

### *AWS Classification System*

|                                           |     |
|-------------------------------------------|-----|
| Stick .....                               | M-1 |
| MIG, TIG & Metal-Cored.....               | M-2 |
| Flux-Cored.....                           | M-3 |
| Submerged Arc (SAW) Flux & Electrode..... | M-5 |
| Submerged Arc.....                        | M-7 |

### *General Information*

#### Stick Electrode

|                                         |     |
|-----------------------------------------|-----|
| Types of Coating & Current.....         | M-8 |
| ASME Boiler & Pressure Vessel Code..... | M-9 |

#### Submerged Arc

|                                            |      |
|--------------------------------------------|------|
| Flux Types & General Characteristics ..... | M-10 |
| Selecting Flux/Wire Combinations.....      | M-11 |

#### Innershield®

|                            |      |
|----------------------------|------|
| Wire Selection Guide ..... | M-13 |
|----------------------------|------|

#### Hardfacing

|                      |      |
|----------------------|------|
| Cross Checking ..... | M-15 |
|----------------------|------|

|                               |             |
|-------------------------------|-------------|
| <i>Agency Approvals .....</i> | <i>M-16</i> |
|-------------------------------|-------------|

|                               |             |
|-------------------------------|-------------|
| <i>Safety Guidelines.....</i> | <i>M-26</i> |
|-------------------------------|-------------|